

Teile- und Preisliste





S O D I C K








bes Funkenerosion GmbH
Hafnerweg 3
















D 78737 Fluorn-Winzeln

Tel.: 07402/9309-17 H. Stängel
Fax.: 07402/9309-20
E-mail: rainer.staengel@bes-edm.de

Stromführungen							
Ref. Nr	Teile-Nr.	Art.-Nr	Bild	Beschreibung	Anwendung	Preis/EURO	
S001	3080316			Conductivity piece B (upper) D=18 x 10 mm Guide unit type 83	330W.453W.654W.G3A.G5A	19,00	
S002	3080314			Conductivity piece A (lower) D=18 x 14 mm / Cermet Guide unit type 83.84	EPOC3W.330W.453W.654W.GW3.GW4.GW5. G3A.G5A.GOW5.GOW3	53,00	
S003S	3080318			Conductivity piece C (upper) 16 x 10 mm / Silver tungsten Guide unit type 84-AWT	330W.453W.654W.GOW3.GOW5.GO3.GO5. GW3.GW5.G3A.G5A.EPOC3W	60,00	
S003T				Conductivity piece C (upper) 16 x 10 mm / Cermit Guide unit type 84-AWT	330W.453W.654W.GOW3.GOW5.GO3.GO5. GW3.GW5.G3A.G5A.EPOC3W	115,00	
S004S	3080324			Conductivity piece S (upper) 14 x 11 x 12 mm / Silver tungsten Guide unit type 85-3	AW330.	95,00	
S005LS	3080307			Conductivity piece D (UT) 12.5 x 14 x 11.7 mm / Silver tungsten Guide unit type 85-2. 85-3 with 3WS / manual	GOW3.GOW5.GO3.GO5.GW3.GW5.AW453. 3WS. BF250/275. series EPOC3W/5W/6W/8W/300 series	95,00	
S005RS	3080308			Conductivity piece D (DT) 12.5 x 14 x 11.7 mm / Silver tungsten Guide unit type 85-2. 85-3 with 3WS / manual	GOW3.GOW5.GO3.GO5.GW3.GW5.AW453. 3WS. BF250/275. series EPOC3W/5W/6W/8W/300 series	95,00	
S005LT				Conductivity piece D (UT) 12.5 x 14 x 11.7 mm / Cermit Guide unit type 85-2. 85-3 with 3WS / manual	GOW3.GOW5.GO3.GO5.GW3.GW5.AW453. 3WS. BF250/275. series EPOC3W/5W/6W/8W/300 series	112,00	
S005RT				Conductivity piece D (DT) 12.5 x 14 x 11.7 mm / Cermit Guide unit type 85-2. 85-3 with 3WS / manual	GOW3.GOW5.GO3.GO5.GW3.GW5.AW453. 3WS. BF250/275. series EPOC3W/5W/6W/8W/300 series	112,00	
S006S	3080311			Conductivity piece D (lower) 12.5 x 19 x 11.6 mm / Silver tungsten Guide unit type 85-2. 85-3	GO3.GO5.GW3.GW5.GOW5.AW330.AW453 . EPOC3W/3WS/5W/6W/8W/300 series. BF250/275 series	112,00	
S006T	3080312			Conductivity piece D (lower) 12.5 x 19 x 11.6 mm / Cermit Guide unit type 85-2. 85-3	GO3.GO5.GW3.GW5.GOW5.AW330.AW453 . EPOC3W/3WS/5W/6W/8W/300 series. BF250/275 series	127,00	
S008S	3080320			Conductivity piece P U-shape (upper & lower) D=12 x 20.6 mm / Silver tungsten Guide unit type KM-3	AP150.PGW150	68,00	
S008T	3082582			Conductivity piece P U-shape (upper & lower) D=12 x 20.6 mm / Cermit Guide unit type KM-3	AP150.PGW150	119,00	
Not delivery	3080303			Conductivity KM-1 / Flat D=12 x 20.6 mm / Cermit Guide unit type KM-1	150W		
Not delivery	3081325			Conductivity KM-1 / Flat D=12 x 20.6 mm / Tungsten cabide Guide unit type KM-1	150W		
S009S	3080301	16030		Conductivity piece P-AWT / U-shape (upper & lower) 10 x 8 x 30 mm / Silver tungsten Guide unit type 86-1	AW330/453 series. EPOC300/500/600/800 series	78,00	
S009T	3082580			Conductivity piece P-AWT / U-shape (upper & lower) 10 x 8 x 30 mm / Cermit Guide unit type 86-1	AW330/453 series. EPOC300/500/600/800 series	152,00	
	3082579			Conductivity piece P-AWT / U-shape (upper) 10 x 8 x 30 mm / Cermit Guide unit type 86-2	A350.A500/..W/..H/..WH/..S/..SS/..SSW series AP300/330/450. AW330/453. BF275. EPOC300/500/600/800 series		
S010	3085936 3080972 3084592	14640		Conductivity piece 87-3 (upper & lower) 4.8 x 40 x 20 mm Guide unit type 87-3	AQ. A. EPOC. AP. BF. JL. PGW. EXC. AF series	42,00	
S010G		16118		Conductivity piece 87-3 (upper & lower) 4.8 x 40 x 20 mm / Special long life type Guide unit type 87-3	AQ. A. EPOC. AP. BF. JL. PGW. EXC. AF series	55,00	











Drahtführungen							
Ref. Nr	Teile-Nr.	Art.-Nr	Bild	Beschreibung	Anwendung	Preis/EURO	
S100	3082983			Diamond split guide AWT D=0.11 mm	AQ / A / EPOC / AP / BF / JL / PGW / EXC / AF series AWT type	720,00	
	3081436			Diamond split guide AWT D=0.21 mm		720,00	
	3083330	17186		Diamond split guide AWT D=0.26 mm		720,00	
S101	3080046			Sapphire split guide AWT D=0.11 mm	AQ / A / EPOC / AP / BF / JL / PGW / EXC / AF series AWT type	350,00	
	3080047	18619		Sapphire split guide AWT D=0.21 mm			
	3080048			Sapphire split guide AWT D=0.06 mm			
	3080051			Sapphire split guide AWT D=0.12 mm			
	3080053	17097		Sapphire split guide AWT D=0.16 mm		220,00	
	3080055			Sapphire split guide AWT D=0.17 mm			
	3080058			Sapphire split guide AWT D=0.22 mm			
	3080061	15316		Sapphire split guide AWT D=0.27 mm		220,00	
	3080063			Sapphire split guide AWT D=0.32 mm			
	3081771	18499		Sapphire split guide AWT D=0.255 mm			
	3080629	14955		Sapphire split guide AWT D=0.26 mm		220,00	
	3081239			Sapphire split guide AWT D=0.07 mm			
	3081567			Sapphire split guide AWT D=0.09 mm			
	3081934	15315		Sapphire split guide AWT D=0.31 mm		220,00	
3081958		Sapphire split guide AWT D=0.05 mm					
3082687		Sapphire split guide AWT D=0.08 mm					
3083122		Sapphire split guide AWT D=0.04 mm					
S102	3080231			Diamond dies guide D=0.05 mm	150W / AP150 / BF275 / EPOC300 / AW Manual type Upper & lower Guide unit 83. 84. 85-2. 85-3. KM-1. KM-3 type	298,00	
	3080232			Diamond dies guide D=0.06 mm			
	3080233			Diamond dies guide D=0.07 mm			
	3080234			Diamond dies guide D=0.09 mm			
	3080235			Diamond dies guide D=0.10 mm			
	3080236			Diamond dies guide D=0.105 mm			
	3080237			Diamond dies guide D=0.11 mm			
	3080238			Diamond dies guide D=0.12 mm			
	3080240			Diamond dies guide D=0.16 mm			
	3080241			Diamond dies guide D=0.17 mm			
	3080243			Diamond dies guide D=0.205 mm			
	3080244			Diamond dies guide D=0.21 mm			
	3080245			Diamond dies guide D=0.22 mm			
	3080247			Diamond dies guide D=0.255 mm			
	3080248			Diamond dies guide D=0.26 mm			
	3080249			Diamond dies guide D=0.27 mm			
	3080250			Diamond dies guide D=0.31 mm			
	3080251			Diamond dies guide D=0.32 mm			
	3080512			Diamond dies guide D=0.155 mm			
	3083135			Diamond dies guide D=0.08 mm		298,00	
3087704		Diamond dies guide D=0.305 mm	168,00				
S103	3080982			Diamond guide 87-3 type D=0.22 mm	AQ / A / EPOC / AP / BF / JL / PGW / EXC / AF series Without AWT option = Upper & lower With AWT option = Lower 87-3 type	152,00	
	3080990	14728		Diamond guide 87-3 type D=0.26 mm			
	3080991	15837		Diamond guide 87-3 type D=0.31 mm			
	3080998	15408		Diamond guide 87-3 type D=0.11 mm			
	3080999	17098		Diamond guide 87-3 type D=0.16 mm			
	3081000	18620		Diamond guide 87-3 type D=0.21 mm			
	3081015			Diamond guide 87-3 type D=0.12 mm			
	3081016			Diamond guide 87-3 type D=0.17 mm			
	3081423	18500		Diamond guide 87-3 type D=0.255 mm			
	3081017	14964		Diamond guide 87-3 type D=0.27 mm			
	3081018			Diamond guide 87-3 type D=0.32 mm			
	3081424			Diamond guide 87-3 type D=0.09 mm upper			
	3081425			Diamond guide 87-3 type D=0.08 mm upper			
	3081426			Diamond guide 87-3 type D=0.07 mm upper		240,00	
	3081427			Diamond guide 87-3 type D=0.06 mm upper			
	3081428			Diamond guide 87-3 type D=0.05 mm upper		256,00	
	3081430			Diamond guide 87-3 type D=0.09 mm lower			
	3081431			Diamond guide 87-3 type D=0.08 mm lower			
	3081432			Diamond guide 87-3 type D=0.07 mm lower		240,00	
	3081433			Diamond guide 87-3 type D=0.06 mm lower			
3081434		Diamond guide 87-3 type D=0.05 mm lower	256,00				
3081475		Diamond guide 87-3 type D=0.35 mm	152,00				










Drahtführungen							
Ref. Nr	Teile-Nr.	Art.-Nr	Bild	Beschreibung	Anwendung	Preis/EURO	
S103L	3081136			Diamond long guide 87-3L type D=0.21 mm	AWT taper upper only A280L.A320L.A series	205,00	
	3081137			Diamond long guide 87-3L type D=0.22 mm			
	3081138			Diamond long guide 87-3L type D=0.26 mm			
	3081139			Diamond long guide 87-3L type D=0.31 mm			
	3081490			Diamond long guide 87-3L type D=0.16 mm			
	3081516			Diamond long guide 87-3L type D=0.27 mm			
	3081715			Diamond long guide 87-3L type D=0.17 mm			
	3081716			Diamond long guide 87-3L type D=0.12 mm			
	3081717			Diamond long guide 87-3L type D=0.11 mm			
3081718		Diamond long guide 87-3L type D=0.32 mm					
S104	3080202	14942		Sapphire guide D=0.05 mm	AQ / A / EPOC / AP / BF / JL / PGW / EXC / AF series AWT OD=3.0 mm Guide unit 83. 84. 85-2. 85-3. 86-1. 90-1. 90-3 90-5. KM-1. KM-3 type	145,00	
	3080204			Sapphire guide D=0.06 mm		139,00	
	3080205			Sapphire guide D=0.07 mm			
	3080206			Sapphire guide D=0.08 mm			
	3080207			Sapphire guide D=0.09 mm			
	3080210			Sapphire guide D=0.11 mm			
	3080211			Sapphire guide D=0.12 mm			
	3080213	17099		Sapphire guide D=0.16 mm			
	3080214			Sapphire guide D=0.17 mm			
	3080219			Sapphire guide D=0.21 mm			
	3080220			Sapphire guide D=0.22 mm			
	3080223	16503		Sapphire guide D=0.26 mm			
	3080224	15043		Sapphire guide D=0.27 mm			
	3080225			Sapphire guide D=0.31 mm			
	3080226	16103		Sapphire guide D=0.32 mm			
	3080227			Sapphire guide D=0.35 mm			
3080229		Sapphire guide A for AWT D=0.40 mm					
3085043		Sapphire guide A for AWT D=0.60 mm					
S105				Diamond guide D=0.21 mm	AP150 - Manual type High long Upper & lower	183,00	
				Diamond guide D=0.26 mm			
				Diamond guide D=0.31 mm			
S106	3080065 3080375			Guide sapphire C OD=10.0 x ID=0.80 mm x 10 mmL for manual (for upper guide parts)	Lower guide unit 86-1. 87-3 type	129,00	
S108	3082269			Guide sapphire C1 OD=10.0 x ID=2.0 mm x 10 mmL for AWF (for upper guide parts)	129	130,00	
				Guide sapphire C2 D=8.0 x 10 mm for AWT			
SE700				Dies block for S102 dies guide	AW330		

Spüldüsen						
Ref. Nr	Teile-Nr.	Art.-Nr	Bild	Beschreibung	Anwendung	Preis/EURO
S200	3081591			Water nozzle 2 Guide unit type 85-2	AW330/453 series. BF250/275 series POC300/3W/3WS/5W/6W/8W series GW/GOW/GO series	8,00
S201	3081594			Water nozzle NE guide / Upper & lower D=5 mm for SUS assy 84 type	330W.453W.654W / EPOC3W	4,50
S202	3082085			Rectification nozzles 3WS Upper & lower Manual Guide unit type 85-2	AW330.453 / BF275 / EPOC300	7,00
S202A	3080030			Water jacket 3WS assy Upper & lower Manual Guide unit type 85-2	AW330.453 / BF275 / EPOC300	9,50
S202B	3080593			Adjusting nut 3WS assy Upper & lower Manual Guide unit type 85-2	AW330.453 / BF275 / EPOC300	5,00
S202C	3080358			Water nozzle 3WS assy D=5 mm Upper & lower Manual Guide unit type 85-2	AW330.453 / BF275 / EPOC300	4,50
S202set	3080639			Water nozzle 3WS assembly Upper & lower Manual Guide unit type 85-2	AW330.453 / BF275 / EPOC300	24,00
S203S	Special type			Nozzle P upper & lower D=10 mm	AP150 KM-3 type	
S203	3082056			Nozzle P / upper & lower D=6 mm Guide unit type KM-3	AP150	7,00
S204	3082055	15627		Water nozzle / upper & lower D=5 mm Guide unit type KM-1	150W	7,00
S205		15628		Water nozzle / upper & lower D=10 mm Guide unit type KM-1	150W	8,00
S206		15629		Water guide with nose / upper & lower D=5 mm Guide unit type KM-1	150W	7,00
S207	3081604	14965		Nozzle C upper / Standard D=6 mm	AQ / A / EPOC / AP / PGW / EXC / BF / JL series 86-2 / 90-1 type with AWT	8,00
	3081606	15493		Nozzle H2 upper / Standard D=10 mm		
	3081868			Nozzle T2 for taper 30Gr. D=12 mm		
	3082997			Nozzle G3 upper D=3 mm Without AWT		
	3082998			Nozzle G4 upper D=4 mm Without AWT		
S207L	3081682	17189		Long nozzle LN1 upper D=6 x 6.5 mmL	AQ.A.EPOC series. AP200...550 PGW/200.EXC100.BF.JL series 86-2 / 90-1 type with AWT	
	3081683			Long nozzle LN2 upper D=10 x 6.5 mmL		
	3081684			Long nozzle LN3 upper D=6 x 11.5 mmL		
	3081685			Long nozzle LN4 upper D=10 x 11.5 mmL		
S207L	3081689	16855		Long nozzle LN5 upper D=6 x 16.5 mmL	A / EPOC / AP / PGW / EXC / BF / JL 86-2 / 90-1 type with AWT	9,00
	3081690			Long nozzle LN6 upper D=10 x 16.5 mmL		
	3082396	16866		Long nozzle LN7 upper D=6 x 26.5 mmL		14,00
	3082397	16857		Long nozzle LN8 upper D=10 x 26.5 mmL		



Verschiedene Teile							
Ref. Nr	Teile-Nr.	Art.-Nr	Bild	Beschreibung	Anwendung	Preis/EURO	
S209	3081674	14966		Nozzle A D=6 mm	A / EPOC / AP / PGW / EXC / BF / JL 87-3 type OD=29.8 - 16.0 mm L=16.3 mm AWT =lower Manual=upper & lower	14,00	
	3081675	19773		Nozzle H1 D=10 mm			
	3081676			Nozzle B D=8 mm			
	3081867			Nozzle T1 for taper 30Gr. D=12 mm			
	3082156	15610		Nozzle E2 D=2 mm			
	3082207			Nozzle E4 D=4 mm			
S209-1	3086396	18767		Float nozzle S / Lower without O-ring D=6 mm AWT	AP200L 450L	6,00	
	3086742			Float nozzle T / Lower without O-ring D=12 mm AWT	90-3 type O.D.=34.8 mm - 12.8 mm	9,00	
	3086746			Float nozzle F / Lower without O-ring D=10 mm AWT	L=17.0 mm	9,00	
S209W	3086386	15087		Float nozzle S lower D=6 mm standard without O-ring	AQ. series. AP300...550 series	5,50	
	3086443			Float nozzle F lower D=10 mm without O-ring	87-3 type AWT	8,00	
	3086486			Float nozzle T lower D=12 mm without O-ring	O.D.=29.8 mm - 12.8 mm	8,00	
	Special	18907		Float nozzle S lower D=4 mm without O-ring	L=17.6 mm	8,00	
S210	3082603	15630		Nozzle lower D=12 mm Lehmann type AWT	A280L.....L series	10,00	
S301	3080178			Isolator plate upper 90-1 type AWT		46,00	
S302	3082518	18562		Guide block ceramic for compact cylinder (connected with S5013-set) 72 x 50.5 x 20 mm T / Center hole = 13.5 mm	A530D....etc 90-1 type AWT	98,00	
S400	3050098	15911		Pulley "E" for belt / SUS / AS-5543 D=25 mm x 24 mm		53,00	
S400-1				SUS pulley only for S400			
S400C/ 2 Not delivery	3050131	15912		Pulley "E" for belt / Ceramic with 2 mm groove D=25 mm		125,00	
S400C	3050105			Pulley "E" for belt / Ceramic with 6 mm groove D=25 mm	BF275 / EPOC series	125,00	
S400C-1				Ceramic pulley only for S400C	BF275 / EPOC series	125,00	
S400C/F	3050047			Pulley "E" assembly for belt / Ceramic flat type D=25 mm	EPOC series / AP series	125,00	
S400C/F-1				Ceramic pulley only for S400C/F	EPOC series / AP series		
S401				SS626LLB Bearing for pulley	16 x 18	11,00	
S405				Roller upper for wire belt	AP200	32,00	
S406	3086387			Nozzle base upper for S209W	AQ.A series AP300...550 series	65,00	
S406-1	3086221	16627		Spring ring lower for float nozzle	AQ series AP300...550 series	6,00	
S407	3082668			Nozzle base for S209 Lower for AWF / Upper & lower for manual type	AQ.A.EPOC series. AP200...550. JL. PGW200.EXC100.BF 87-3 type	53,00	
S407-1	3082669			Nozzle base for S209 Lower for manual type	AQ.A.EPOC series. AP200...550. JL. PGW200.EXC100.BF 87-3 type	53,00	


Verschiedene Teile							
Ref. Nr	Teile-Nr.	Art.-Nr	Bild	Beschreibung	Anwendung	Preis/EURO	
S408	3082804	15013		Nozzle base upper for S207	AQ.A.EPOC series. AP200...550. JL. PGW200.EXC100.BF 90-1 type	53,00	
S409	3082629	15012/18944		Nozzle baser lower (22/18mmID)	A320L. 530L.325L series	53,00	
S411				Urethane roller upper OD100 x ID12 x 20 mmH	A500. A-series AP330.AP150.A350	60,00	
S410				Urethane roller upper OD100 x ID10 x 20 mmH	A500. A-series. AP330.AP150.A350		
S412				Urethane roller upper OD100 x ID10 x 20 mmH	AP.Epoc series	66,00	
S412EP				Urethane roller with groove	Epoc series		
S413				Urethane roller upper OD100 x ID7.0 x 20 mmT	BF275	66,00	
S414	3052991	15960		Ceramic feed roller "B" OD70 x ID15 mm	A500W.A320D.A530D	304,00	
S414A	3052147			Ceramic feed roller "B" OD70 x ID12 mm / Instead of SUS	A500W-Old type	304,00	
S415	3052992	15959		Ceramic feed roller "C" OD70 x ID24 mm	A500W.A320D.A530D	304,00	
S415A	3052149			Ceramic feed roller "C" OD70 x ID22 mm / Instead of SUS	A500W-Old type	304,00	
S416				Tension urethane roller upper OD100 x ID12 x 20 mmH 2 x M5	A350W.A500W series	88,00	
S416-1				New Nr. S418 Urethane roller for for light weight type		88,00	
S417	3053703 3054678	16894		Tension urethane roller upper OD100 x ID19 x 20 mmH 2 x M5	AQ325L.535L....AQseries AP200		
S418	3051534	15625		Urethan roller for light weight type OD100 x 12 x 20 mmH	A320.A530	85,00	
S500	3080748 3080035 3080689	15626		Cutter upper for AWT / Tungsten cabide material		10,50	
S500	3084628			Cutter upper for AWT / Cermit material	W400135D	9,00	
S600	3080375	15526		AWT pipe upper D=2.0-1.0 mm L=285 mmL	A500.A530D.A325.EXC100.AP200L. AP450L 85AWT	40,00	
S600-1	3080374 3082269	18768		AWT pipe upper D=2.0-0.7 mm L=285 mmL	A500.A530D.A325.EXC100.AP200L. AP450L 85AWT	40,00	
S600-2	3083256 3080069			AWT pipe upper D=2.0-0.5 mm L=285 mmL	A500.A530D.A325.EXC100.AP200L. AP450L 85AWT		
S601	3083123 3080297			AWT pipe upper D=2.0-1.0-0.3 mm	AP200L .450L 85 AWT fine wire		

Verschiedene Teile							
Ref. Nr	Teile-Nr.	Art.-Nr	Bild	Beschreibung	Anwendung	Preis/EURO	
S602	3082452			AWT pipe upper D=2.0-1.0 mm L=152 mmL	A300.A320.BF275		
S603	3085966	16505		AWT pipe upper D=2.0-1.0 mm L=275 mmL	AQ600L.AQ550L 97AWT		
S603-1	3085967			AWT pipe upper D=2.0-0.7 mm L=275 mmL	AQ600L.AQ550L 97AWT		
S700	3080711	15993		AWT slide belt L=335 mm	A350.A600W 85AWT	35,00	
S701	3082451	16064		AWT slide belt L=195 mm	A325.A300.A320.BF275	32,00	
S702	3081706	16066		AWT slide belt L=385 mm	A750.A500H.A350H 97AWT	43,00	
S703	3080696	16068		Spring for AWT slide belt	All type	8,00	
S800	4130966			Discharge cable L=80 mm		15,00	
S801	4130799			Discharge cable L=900 mm		78,00	
S802	4130894			Discharge cable L=1100 mm		82,00	
S803	4133356			Discharge cable L=1200 mm		85,00	
S804	4130848	18550		Discharge cable L=1500 mm		105,00	
S5010	3052148			Shaft bevel gear type for Roller B	A350.A500	32,00	
S5013	3081247 Assembly	16197		Conductivity block F (S5013-1) assembly with flanges Upper & lower	A series	690,00	
S5013-1				Conductivity block F	EPOC series	580,00	
S5014	3082120	16093		Die block upper	A300.A320.A530 Manual	663,00	
S5017	3082520			Flange upper	A series AWT	52,00	
S5018	3082119			Flange upper	A series Manual	60,00	
S5021	3083114			Flange lower	A series AWT	75,00	
S5022	3083114			Flange lower	A series Manual	53,00	

Verschiedene Teile						
Ref. Nr	Teile-Nr.	Art.-Nr	Bild	Beschreibung	Anwendung	Preis/EURO
S5023	3081035			Electric pin		22,00
S5026		16551		Aspirator block	A280/300/320	46,00
S5027	3081247	18542		Aspirator block	A530	46,00
S5028		16548		Aspirator nozzle A / Plastic material	A280.A300.A320.A530	14,50
S5029		16549		Aspirator nozzle B / Plastic material	A280.A300.A320.A530	14,50
S5030		16550		Aspirator nozzle C / Plastic material	A530	14,50
S5031		15984		Pulley B (S5032) assembly set	A530D.325D. A-series	180,00
S5032	3051799			Pulley B ceramic for lower block D=68 mm	A530D.325D. A-series	132,00
S5040	3050812			Ceramic pulley E-set assembly D=32 mm	BF275 (AS5614)	162,00
S5041	3052167			Ceramic pulley E-set assembly with groove D=40 mm	EPOC1100 (AS5629A)	198,00
S5065	3030250			Bellows X	A500	
S5050	3050193			Roller C D=50 x 40mm	EPOC600/800	
S5041-1	3051355			Ceramic pulley "E" D=40 without groove	EPOC1100 (AS5629A)	
S5058	3051945			Pipe	A500	
S5059	3051947			Pipe	A350	
S5047	3052147			Roller B	A series	
S5062	3052361			Pipe	A750	
S5087	3080795			Air - hydraulic unit	For AWT type	
S5008	3080978			Insulation block lower	BF275. EPOC500/600/800	
S5010	3080980			Insulation block upper ceramic L=50 x 77 x 24 mmT	BF275. EPOC500/600/800	
S5089	3081039			Gauge ring		

Verschiedene Teile						
Ref. Nr	Teile-Nr.	Art.-Nr	Bild	Beschreibung	Anwendung	Preis/EURO
S5009	3081297			Insulation block lower	EPOC1100. AP450/330 series	
S5088	3082061			Conductivity piece adjusting gauge		
S5048				Feed roller D=50 x 24 mm	BF275. A320.A350	82,00
S5053				Roller C with SUS bearing assembly	A300.A320.A530	
S5057				Pipe	A300.A320	
S5060				Pipe	A530	
S5061				Pipe	A600	
S5063					A320	
S5064					A530	
S5086				Alinement block	Manual type	
	3052771			Same as S414		
	3052772			Same as S415		
	3080069			Same as S600-2		
	3080296			Same as S602		
	3080297			Same as S601	AP200 for fine lines	
	3080689			Same as S500		
	3080748			Same as S500		
	3080972			Same as S010		
	3082269			Same as S600-1		
	3084592	14645		Same as S010		
				Guide driver		

Drahttransportbänder							
Ref. Nr	Teile-Nr.	Art.-Nr	Bild	Beschreibung	Anwendung	Preis/EURO	
							
S501	3050123			18 x 465 mm	Front wire conveyer belt (B type) 330W /A-set	5,00	
S502	3050117			18 x 2600 mm		15,00	
S503	3050120			18 x 3155 mm		17,00	
S504	3050123			18 x 465 mm	Front wire conveyer belt (B type) AW330.AP300 /B-set	5,00	
S505	2040061			18 x 2680 mm		15,00	
S506	2040068			18 x 3235 mm		17,00	
S507	3050125			42 x 1590 mm	Wire conveyer belt (C type) 330W.AW330.AP300 /AB-set		
S508	3050126			42 x 1665 mm			
S509	3050123			18 x 465 mm	Front wire conveyer belt (B type) 453W /A-set	5,00	
S510	3050118			18 x 2700 mm		15,00	
S511	3050121			18 x 3255 mm			
S512	3050127			42 x 1915 mm	Wire conveyer belt (C type) 453W /A-set		
S513	3050128			42 x 2010 mm			
S514	3050123			18 x 465 mm	Front wire conveyer belt (B type) AW453 /B-set	5,00	
S515	2040062			18 x 2780 mm		15,00	
S516	2040069			18 x 3335 mm		17,00	
S517	2040076			42 x 1945 mm	Wire conveyer belt (C type) AW453 /B-set	13,00	
S518	2040077			42 x 2040 mm		17,00	
S519	2050115			18 x 1340 mm	Wire conveyer belt (B type) 654W /A-set		
S520	2050119			18 x 2960 mm			
S521	2040074			18 x 3840 mm			
S522	2040048			18 x 1350 mm	Wire conveyer belt (B type) 654W /B-set		
S523	2040066			18 x 3034 mm			
S524	2040075			18 x 3950 mm			
S525	2040774			18 x 3045 mm	Wire conveyer belt (A1 type) AP200 /A-set		
S526	2040773			18 x 3085 mm			
S527	2040814			18 x 3434 mm	Wire conveyer belt (A1 type) AP200 /B-set		
S528	2040813			18 x 3475 mm			
S529	2040996			18 x 3670 mm	Wire conveyer belt (A1 type) AP200.PGW200 /C-set		
S530	2040995			18 x 3715 mm			
S531	2040610			18 x 3895 mm	Wire conveyer belt (A1 type) AP330.AP450 /B-set		
S532	2040611			18 x 3970 mm			
S533	2040779			18 x 3870 mm	Wire conveyer belt (A1 type) AP330.AP450 /C-set		
S534	2040817			18 x 3820 mm			
S535	2040497			18 x 1705 mm	Wire conveyer belt (A2 type) EPOC3WS.EPOC300 /A-set		
S536	2040053			18 x 1740 mm		12,00	
S537	2040138			18 x 1690 mm	Wire conveyer belt (A2 type) EPOC300 /B-set	12,00	
S538	2040139			18 x 1785 mm		13,00	
S539	2040049			18 x 1595 mm	Wire conveyer belt (A2 type) EPOC500 /A-set		
S540	2040050			18 x 1630 mm		10,00	
S541	2040140			18 x 1580 mm	Wire conveyer belt (A2 type) EPOC500 /B-set	10,00	
S542	2040141			18 x 1675 mm		12,00	
S543	2040055			18 x 1795 mm	Wire conveyer belt (A2 type) EPOC600 /A-set		
S544	2040056			18 x 1830 mm		13,00	
S545	2040142			18 x 1780 mm	Wire conveyer belt (A2 type) EPOC600 /B-set	13,00	
S546	2040143			18 x 1875 mm			

Drahttransportbänder						
Ref. Nr	Teile-Nr.	Art.-Nr	Bild	Beschreibung	Anwendung	Preis/EURO
						
S547	2040058			18 x 1985 mm	Wire conveyer belt (A2 type) EPOC800 /A-set	
S548	2040059			18 x 2020 mm		15,00
S549	2040144			18 x 1970 mm	Wire conveyer belt (A2 type) EPOC800 /B-set	13,00
S550	2040145			18 x 2065 mm		15,00
S551	2040536			18 x 2360 mm	Wire conveyer belt (A2 type) EPOC1100.AP1100	
S552	2040634			18 x 2520 mm		
S553	2040534			18 x 1370 mm	Wire conveyer belt (A2 type) BF275AWT /A-set	
S554	2040535			18 x 1390 mm		
S555	2041088			18 x 1890 mm	Conveyer belt (A1 type) EXC100.EXC100S 2 PCs/set	
					* A1 type : both side rubber type (18 mmW) * A2 type : one side rubber type (18 mmW) * B type : SG belt type (18 mmW) * C type : SG belt type (42 mmW)	